

### iCLASS + Prox card - 212

iCLASS + Prox cards can be ordered either with both SIO and iCLASS programming or iCLASS programming only, a composite fee applies to this card.

Ensure each required option has been checked with the appropriate choice to fulfill a completed order form.

Base Model  212 Composite 40% Polyester / PVC\*

**iCLASS Memory Size and Allocation (Select one option)**

- 0 - 2k Bits (256 Bytes) with 2 Application Areas
- 3 - 32k Bits (4K Bytes) Application areas 16k/2+16k/1
- 4 - 32k Bits (4K Bytes) Application areas 16k/16+16k/1

**Programming (Select one option)**

- HP - Programmed with Security Identity Object (SIO), and standard iCLASS Access control application, 125KHz Unprogrammed.<sup>1</sup>
- HB - Programmed with Security Identity Object (SIO), and standard iCLASS Access control application, programmed, Specify Programming Information<sup>1</sup>
- P - Programmed with standard iCLASS Access Control Application, 125 KHz Unprogrammed.
- B - Programmed 125 kHz Proximity and iCLASS. Specify Programming Information.
- C - iCLASS Unprogrammed, for use with iCLASS SE Encoder, Prox technology blank.
- A - iCLASS Unprogrammed, for use with iCLASS SE Encoder, Prox technology programmed. Specify Programming Information.
- K - iCLASS Programmed, HITAG1 blank. Specify Programming Information.
- M - iCLASS Programmed, HITAG2 blank. Specify Programming Information.
- R - iCLASS configured field programmable, HITAG1 blank.
- I - iCLASS configured field programmable, HITAG2 blank.

**Front Packaging (Select one option)**

- G - Plain White with Gloss Finish
- C - Custom Artwork with Gloss Finish - Specify Custom Artwork Number<sup>2</sup>

**Back Packaging (Select one option)**

- G - Plain White with Gloss Finish<sup>3</sup>
- C - Custom Artwork with Gloss Finish - Specify Custom Artwork Number<sup>2</sup>
- 1 - Plain White with Gloss Finish with Magnetic Stripe<sup>3</sup>
- 3 - Custom Artwork with Gloss Finish with Magnetic Stripe - Specify Custom Artwork Number<sup>2</sup>

**iCLASS Card Numbering<sup>4</sup> (Select one option)**

- M - Sequential Matching Encoded/Printed (Inkjetted)<sup>7</sup>
- N - No Printed Card Numbering
- S - Sequential Encoded/Sequential Non-Matching Printed (Inkjetted)<sup>7</sup>
- R - Random Encoded/Non-Matching Sequential Printed (Inkjetted)<sup>7</sup>
- A - Sequential Matching Encoded/Printed (Laser Engraved)<sup>5</sup>
- B - Sequential Encoded/Sequential Non-Matching Printed (Laser Engraved)<sup>5</sup>
- C - Random Encoded/Non-Matching Sequential Printed (Laser Engraved)<sup>5</sup>

**Slot Punch<sup>6</sup> (Select one option)**

- V - Vertical Slot Punch
- N - No slot punch, This card can be slotted vertically, Printed Vertical Slot Indicators


**125 kHz Card Numbering<sup>4</sup> (Select one option)**

- M - Sequential Matching Encoded/Printed (Inkjetted)<sup>7</sup>
- N - No Printed Card Numbering
- S - Sequential Encoded/Sequential Non-Matching Printed (Inkjetted)<sup>7</sup>
- R - Random Encoded/Non-Matching Sequential Printed (Inkjetted)<sup>7</sup>
- A - Sequential Matching Encoded/Printed (Laser Engraved)<sup>5</sup>
- B - Sequential Encoded/Sequential Non-Matching Printed (Laser Engraved)<sup>5</sup>
- C - Random Encoded/Non-Matching Sequential Printed (Laser Engraved)<sup>5</sup>

**Option - Custom Artwork<sup>2</sup>**

\_\_\_\_\_ (Specify Artwork Number - Refer to the Custom Artwork Forms for new artwork)

Enter your final card options from the above selections. Example: 2120HPGGNNN



12345 = Card ID Number  
 YYYYYYYY-YY = Sales Order Number

Final Part Number											-	(Options #)




**iCLASS Card Programming Information**

Format Number \_\_\_\_ (example: H10301) Bit Numbers \_\_\_\_ (example: 26 bit) Facility Code \_\_\_\_  
 Encoded Card # Start \_\_\_\_ Stop \_\_\_\_ Printed Card # Start \_\_\_\_ Stop \_\_\_\_  
 HID Elite ICE Number (if applicable) - \_\_\_\_ (Custom Format) Site Code \_\_\_\_ City Code \_\_\_\_ OEM Code \_\_\_\_  
 PIN (2-12 digits):  Sequential: Start # \_\_\_\_\_  Random: Length \_\_\_\_\_  
 Special Instructions: \_\_\_\_\_

**125 kHz Card Programming Information**

Format Number \_\_\_\_ (example: H10301) Bit Numbers \_\_\_\_ (example: 26 bit) Facility Code \_\_\_\_  
 Encoded Card # Start \_\_\_\_ Stop \_\_\_\_ Printed Card # Start \_\_\_\_ Stop \_\_\_\_  
 HID Elite ICE Number (if applicable) - \_\_\_\_ (Custom Format) Site Code \_\_\_\_ City Code \_\_\_\_ OEM Code \_\_\_\_  
 Special Instructions: \_\_\_\_\_

<sup>1</sup> Secure Identity Object (SIO) Programming is not mandatory but highly recommended. If SIO programming is not selected the letter H should be left out from Final Part Number, for example: 2020PGNNN  
<sup>2</sup> For new artwork files, contact Customer Service for custom artwork number, lead-times, and cost.  
<sup>3</sup> Cards ordered with plain white front and back packaging, or custom artwork, will still have a small HID logo  and reference number printed in the lower left-hand corner and a slot punch target printed on the back of the card.  
<sup>4</sup> The Printed card number is placed in the bottom right-hand corner for iCLASS 13.56 MHz and in the bottom center for 125 kHz Proximity on the back of the card.  
<sup>5</sup> For Laser Engraved Printed numbers, consult factory for lead times and cost.  
<sup>6</sup> Cards are provided with an optional slot punch at no additional charge. Some video imaging printers cannot accommodate pre-slot punched cards.  
<sup>7</sup> Please note that cards shipped within North America are always laser-engraved. Inkjetted option is not available for these cards.  
 \* The composite construction is recommended for all cards with over-laminate applied. Consult with the printer manufacturer prior to ordering.